This document was generated: April 24, 2024 at 11:59 PM

Synthetic Longitudinal Business Database

(28 variables)

Last update to metadata: 2016-11-11 11:47:26 (auto-generated) Document Date: January 6th, 2014

Codebook prepared by: Lars Vilhuber

Data prepared by: United States Department of Commerce, Bureau of the Census , Duke University , and Cornell University, Labor Dynamics Institute

Principal Investigator(s): United States Department of Commerce. Bureau of the Census. , Internal Revenue Service. , and Cornell University. Labor Dynamics Institute.

Citation

Please cite this codebook as:

Comprehensive Extensible Data Documentation and Access Repository. Codebook for the Synthetic LBD Version 2.0 [Codebook file]. Cornell Institute for Social and Economic Research and Labor Dynamics Institute [distributor]. Cornell University, Ithaca, NY, 2013

Please cite this dataset as:

U.S. Census Bureau. Synthetic Longitudinal Business Database: Version 2.0 [Computer file]. Washington DC; Cornell University, Synthetic Data Server [distributor], Ithaca, NY, 2013

Abstract

In most countries, national statistical agencies do not release establishment-level business microdata, because doing so represents too large a risk to establishments' confidentiality. One approach with the potential for overcoming these risks is to release synthetic data; that is, the released establishment data are simulated from statistical models designed to mimic the distributions of the underlying real microdata. The Synthetic Longitudinal Business Database (SynLBD) is the synthetic data version of the Longitudinal Business Database (LBD), an annual economic census of establishments in the United States comprising more than 20 million records dating back to 1976. More information is available at https://www.census.gov/ces/dataproducts/synlbd/index.html. In this codebook, variables are noted as "blanked" if they are available on the confidential version but have been removed from the synthetic version; "synthetic" if the confidential values have been synthesized and released on the synthetic version.

Datasets

synlbd1997c.dta synlbd1997c.dta (Incomplete URL provided - synlbd1997c.dta) (Stata)

Terms of Use

Access Levels

restricted No description given

released No description given

Access Restrictions (Default)

The data can only be used on the VirtualRDC Synthetic Data Server http://www.vrdc.cornell.edu/sds/ at Cornell University. While no SynLBD data downloads are permitted at this time, users do not have to operate behind the Census Bureau firewall to access this server.

Access Requirements

In order to access the Synthetic LBD, users should apply for a free account on the Synthetic Data Server (SDS) housed at the VirtualRDC at Cornell University. Application forms can be found at https://www.census.gov/ces/dataproducts/synlbd/accesslbd.html. Application decisions are based solely on feasibility, determined by evaluating whether the data necessary to conduct the analysis are included on the SynLBD Beta file. Decisions generally occur within 10 business days.

Additional information: https://www.census.gov/ces/dataproducts/synlbd/accesslbd.html

Access Permission Requirements

The SynLBD files have been cleared by the Census Bureau Disclosure Review Board and IRS for use by individuals wihtout Census Bureau Special Sworn Status and outside of Census Bureau facilities. Establishments in the SynLBD are fully synthesized using statistical models, and the SynLBD contains no data from actual establishments. Comparison at the establishment level shows SynLBD data differ substantially from the actual data. Modeling preserves variable relationships while protecting establishment identity.

Citation Requirements

Please use the following language in published work that make use of this dataset: "The creation of the Synthetic LBD was made possible through NSF Grant #0427889. Access to the Synthetic LBD was made possible through NSF Grant #1042181." Please also cite Kinney et al (2011) and use the bibliographic citation for the dataset provided in this document.

Disclaimer

Establishments in the SynLBD are fully synthesized using statistical models, and the SynLBD contains no data from actual establishments. Comparison at the establishment level shows SynLBD data differ substantially from the actual data. Modeling preserves variable relationships while protecting establishment identity. Because the SynLBD has not been fully validated, relationships between SynLBD variables may not correspond to the relationships in the

underlying confidential microdata. Unless validated, there is no guarantee results from the SynLBD reflect results from the underlying confidential data. Researchers are strongly encouraged to request result validation prior to publishing results based on the SynLBD. Validation occurs as part of an internal Census Bureau process to improve current beta data products, and is free, as resources permit. (See https://www.census.gov/ces/dataproducts/synlbd/validatingresults.html)

Contact

For questions regarding this data collection, please contact: ces.synthetic.data.use@census.gov

Additional Information

Methodology

Sampling from posterior predictive distribution

Related Material

I. https://www.census.gov/ces/pdf/SynLBD_Codebook.pdf

Related Publications

I. Kinney, Satkartar K., Jerome P. Reiter, Arnold P. Reznek, Javier Miranda, Ron S. Jarmin and John M. Abowd. 2011. CES WP-11-04 In most countries, national statistical agencies do not release establishment-level business microdata, because doing so represents too large a risk to establishments' confidentiality. One approach with the potential for overcoming these risks is to release synthetic data; that is, the released establishment data are simulated from statistical models designed to mimic the distributions of the underlying real microdata. In this article, we describe an application of this strategy to create a public use file for the Longitudinal Business Database, an annual economic census of establishments in the United States comprising more than 20 million records dating back to 1976. The U.S. Bureau of the Census and the Internal Revenue Service recently approved the release of these synthetic microdata for public use, making the synthetic Longitudinal Business Database the first-ever business microdata set publicly released in the United States. We describe how we created the synthetic data, evaluated analytical validity, and assessed disclosure risk.

Variable Groups - Synthetic Longitudinal Business Database

Blanked Variables Identifiers Synthetic Variables

Variable Name	lbdnum
Label	(synthetic) LBD Number
Concept	
Туре	character
Files	F1

Longitudinal establishment identifier. Can be used to track establishment units over time.

Groups

Identifiers

Variable Name	emp
Label	(synthetic) March 12 Employment
Concept	
Туре	numeric
Files	F1

Paid employment consists of full and part-time employees, including salaried officers and executives of corporations, who were on the payroll in the pay period including March 12. Included are employees on sick leave, holidays, and vacations; not included are proprietors and partners of unincorporated businesses. Employment refers to paid employment at the establishment where business is conducted. Note, this will correspond to firm employment only for single-unit establishment firms. Reported to the Internal Revenue Service (IRS) on Form 941. In some cases this value is imputed due to missing or invalid data.

Groups

Variable Name	рау
Label	(synthetic) Reported Annual Payroll (in \$1,000)
Concept	
Туре	numeric
Files	F1

Total annual payroll includes all forms of compensation, such as salaries, wages, commissions, bonuses, vacation allowances, sick-leave pay, and the value of payments in kind (e.g., free meals and lodgings) paid during the year to all employees. Sum of quarterly IRS Form 941 payroll for the year. Missing or invalid 941 data is replaced with imputed values.

Groups

Variable Name	sic3
Label	(observed, computed) SIC3 code
Concept	Standard Industrial Classification
Туре	character
Files	F1

Three digit Standard Industrial Classification code.

Summary Statistics

Valid values	all

Invalid values 0

Groups

Identifiers

Variable Name	mu
Label	(synthetic) Single-Multi Identifier
Concept	
Туре	numeric
Files	F1

Indicator for whether the establishment belongs to a firm composed of two or more establishments. A value of 1 indicates the establishment is a member of a firm composed of two or more establishments. A value of 0 indicates the establishment is the only member of the firm.

Values (2 total)

0 Establishment is the only member of the firm

1 Establishment is a member of a firm composed of two or more establishments

Summary Statistics

Valid values all Invalid values 0

Value Ranges

Value Range

Range: [0 , 1]

Groups

Variable Name	firstyear
Label	(synthetic) First Year Establishment is Observed
Concept	
Туре	numeric
Files	F1

Indicator for the first year the establishment is observed in the data (birth year). This variable is left censored at 1976. In conjunction with LASTYEAR, allows users to quickly determine the tenure of an establishment from any point in the data series.

Summary Statistics

Valid values	all
Invalid values	0
Minimum	1975
Maximum	2000

Value Ranges

Value Range

Range: [1975 , 2000]

Groups

Variable Name	lastyear
Label	(synthetic) Last Year Establishment is Observed
Concept	
Туре	numeric
Files	F1

Indicator for the last year the establishment is observed (death year). This variable is right censored at the last year of the data. In conjunction with FIRSTYEAR, allows users to quickly determine the tenure of an establishment from any point in the data series.

Value Ranges

Value Range

Range: [1976 , 2000]

Groups

Variable Name	act
Label	(blanked) Activity Code.
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD

Groups

Variable Name	bestsic
Label	(blanked) Best SIC code
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD

Groups

Variable Name	bestnaics
Label	(blanked) Best NAICS code
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD

Groups

Variable Name	cbp
Label	(blanked) Indicator: used in County Business Patterns
Concept	
Туре	numeric
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD. Indicates that an observation was used in the tabulation of the County Business Patterns

Values (1 total)

Sysmiss

Groups

Variable Name	cfn
Label	(blanked) Census File Number
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD. Links to other Economic microdata

Values (2 total)

0123456789

1234567890

Groups

Blanked Variables Identifiers

Variable Name	county
Label	(blanked) County FIPS codes
Concept	FIPS code
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD. County FIPS code. It is not possible to compute statistics at the state or county level.

Groups

Variable Name	firstflag
Label	(blanked) First Link Flag
Concept	
Туре	character
Files	F1

Indicator for first link. Only available on confidential LBD.

Groups

Variable Name	flaga
Label	(blanked) Type of Link Flag
Concept	
Туре	character
Files	F1

Identifies the type of link. Only available on confidential LBD.

Groups

Variable Name	flagb
Label	(blanked) Birth-Death-Continuer Link Flag
Concept	
Туре	character
Files	F1

Identifies if the link is for birth/death/continuing establishment. Only available on confidential LBD.

Groups

Variable Name	lastflag
Label	(blanked) Last Link Flag
Concept	
Туре	character
Files	F1

Only available on confidential LBD.

Groups

Variable Name	lfo
Label	(blanked) Legal Form of Organization
Concept	
Туре	character
Files	F1

Identifies the legal form of the organization. Only available on confidential LBD.

Groups

Variable Name	lfo1
Label	(blanked) LFO1
Concept	
Туре	character
Files	F1

Processing variable. Only available on confidential LBD.

Groups

Variable Name	mfsic1
Label	(blanked) Most Frequent SIC 1
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD.

Groups

Variable Name	pdiv
Label	(blanked) Processing (Economic) Division Code
Concept	
Туре	character
Files	F1
Full Description	

Variable not present on Synthetic LBD, only available on confidential LBD.

Groups

Variable Name	rapf
Label	(blanked) Reported Annual Payroll Flag
Concept	
Туре	character
Files	F1

Only available on confidential LBD.

Groups

Variable Name	recnum
Label	(blanked) SSEL Record Number
Concept	
Туре	numeric
Files	F1

Links to BR. Only available on confidential LBD, Variable not present on Synthetic LBD.

Values (1 total)

Sysmiss

Groups

Variable Name	sic
Label	(blanked) Standard Industrial Classification Code
Concept	Standard Industrial Classification
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD. Detailed SIC code

Groups

Variable Name	sone
Label	processing variable (to be dropped in future version)
Concept	
Туре	character
Files	F1
Groups	

Variable Name	state
Label	(blanked) State FIPS codes
Concept	FIPS state code
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD. It is not possible to compute statistics at the state or county level.

Values (1 total)

Groups

Variable Name	toc
Label	(blanked) Type of Operation Code
Concept	
Туре	character
Files	F1

Variable not present on Synthetic LBD, only available on confidential LBD.

Groups

Variable Name	yr
Label	(computed) Year
Concept	
Туре	numeric
Files	F1

Implicit in file name, was added on SynLBD 2.0.2

Value Ranges

Value Range

Range: [1976 , 2001]

Groups

Identifiers